PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:
C07D 401/12, A61K 31/44

(43) International Publication Date: 3 December 1998 (03.12.98)

SE

(21) International Application Number: PCT/SE98/00974

(22) International Filing Date: 25 May 1998 (25.05.98)

30 May 1997 (30.05.97)

(71) Applicant (for all designated States except US): ASTRA AKTIEBOLAG [SE/SE]; S-151 85 Södertälje (SE).

(72) Inventors; and
 (75) Inventors/Applicants (for US only): COTTON, Hanna [SE/SE]; Astra Production Chemicals AB, S-151 85 Södertälje (SE). KRONSTRÖM, Anders [SE/SE]; Astra Production Chemicals AB, S-151 85 Södertälje (SE)

Production Chemicals AB, S-151 85 Södertälje (SE). MATTSON, Anders [SE/SE]; Astra Production Chemicals AB, S-151 85 Södertälje (SE). MÖLLER, Eva [SE/SE]; Astra Production Chemicals AB, S-151 85 Södertälje (SE).

(74) Agent: ASTRA AKTIEBOLAG; Patent Dept., S-151 85 Södertälje (SE).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

With international search report.

(54) Title: NOVEL FORM OF SOMEPRAZOLE

(57) Abstract

(30) Priority Data: 9702065-5

The present invention relates to a novel form of the (-)-enantiomer of 5-methoxy-2- [[(4-methoxy-3,5-dimethyl-2-pyridinyl)-methyl]sulfinyl]-1H-benzimidazole, i.e S-omeprazole. More specifically, it relates to a novel form of the magnesium salt of the S-enantiomer of omeprazole trihydrate. The present invention also relates to processes for preparing such a form of the magnesium salt of S-omeprazole and pharmaceutical compositions containing it. Furthermore, the present invention also relates to new intermediates used in the process.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	EŞ	Spain	LS	Lesotho	SI	Slovenia
AM	Агтеліа	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	. France '	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	. HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazi)	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy .	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand	2.,	2545 # 5
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		•

WO 98/54171 PCT/SE98/00974

NOVEL FORM OF S-OMEPRAZOLE

Field of the Invention

10

15

20

25

The present invention relates to a novel form of the (-)-enantiomer of 5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)-methyl]sulfinyl]-1<u>H</u>-benzimidazole, *i.e.* S-omeprazole. More specifically, it relates to a novel form of the magnesium salt of the S-enantiomer of omeprazole trihydrate. The present invention also relates to processes for preparing such a form of the magnesium salt of S-omeprazole and pharmaceutical compositions containing it. Furthermore, the present invention also relates to intermediates used in the process, and their preparation.

Background of the invention and prior art

The compound 5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-1H-benzimidazole, having the generic name omeprazole, and therapeutically acceptable salts thereof, are described in EP 5129. The specific alkaline salts of omeprazole are disclosed in EP 124 495. Omeprazole is a proton pump inhibitor, i.e. effective in inhibiting gastric acid secretion, and is useful as an antiulcer agent. In a more general sense, omeprazole may be used for prevention and treatment of gastric-acid related diseases in mammals and especially in man.

Omeprazole is a sulfoxide and a chiral compound, wherein the sulfur atom being the stereogenic center. Thus, omeprazole is a racemic mixture of its two single enantiomers, the R and S-enantiomer of omeprazole, herein referred to as R-omeprazole and S-omeprazole. The absolute configurations of the enantiomers of omeprazole have been determined by an X-ray study of an N-alkylated derivative of the (+)-enantiomer in non-salt form. The (+)-enantiomer of the non-salt form and the (-)-enantiomer of the non-salt form were found to have R and S configuration, respectively, and the (+)-enantiomer of the magnesium salt and the (-)-enantiomer of the magnesium salt were also found to have R

1

and S configuration, respectively. The conditions for the optical rotation measurement for each of these enantiomers are described in WO 94/27988.

Certain salts of single enantiomers of omeprazole and their preparation are disclosed in WO 94/27988. These compounds have improved pharmacokinetic and metabolic properties which will give an improved therapeutic profile such as a lower degree of interindividual variation.

WO 96/02535 discloses a process for the preparation of the single enantiomers of omeprazole and salts thereof, and WO 96/01623 discloses a suitable tableted dosage forms 10 of for instance magnesium salts of R- and S-omeprazole.

Brief description of the drawings

20

25

invention.

- Figure 1 shows a X-ray powder diffractogram of the magnesium salt of S-omeprazole 15 trihydrate prepared according to the present invention.
 - Figure 2 shows a X-ray powder diffractogram of the potassium salt of S-omeprazole prepared and used in the present application (See examples 2 and 3)
 - Figure 3 shows a X-ray powder diffractogram of a magnesium salt of S-omeprazole
- dihydrate prepared and used in the present application (See example 5) Figure 4 shows a X-ray powder diffractogram of a magnesium salt of S-omeprazole dihydrate which is a polymorph of the dihydrate shown in Figure 3 (See Example 6). This magnesium salt of S-omeprazole dihydrate has been prepared and can be used in the preparation of the magnesium salt of S-omeprazole trihydrate according to the present
- Figure 5 shows X-ray powder diffractogram of the magnesium salt of S-omeprazole prepared according to example A in WO 96/01623.

Description of the Invention

It has surprisingly been found that the magnesium salt of S-omeprazole occurs in a number of structurally different forms. It is an object of the present invention to provide a substantially pure magnesium salt of S-omeprazole trihydrate, hereinafter referred to as the compound of the invention. This trihydrate can be obtained as a well defined compound. The present invention also provides a process to obtain and a method of differentiating the magnesium salt of S-omeprazole trihydrate from other forms of magnesium salts of S-omeprazole.

10

15

25

The compound of the invention is advantageous because it is more stable than the corresponding magnesium salt compounds in prior art and is therefore easier to handle and store. The compound of the invention is also easier to characterize because it exists in a well defined state. Additionally, the compound of the invention is easier to synthesize in a reproducible manner and thereby easier to handle in a full scale production.

The magnesium salt of S-omeprazole trihydrate obtained according to the present invention is substantially free from magnesium salts of R-omeprazole. The magnesium salt of S-omeprazole trihydrate obtained according to the present invention is also substantially free from other forms of magnesium salts of S-omeprazole, such as the corresponding magnesium salt compounds described in prior art, and dihydrates used in the preparation of the trihydrate compound according to the present invention.

The compound of the invention is characterized by the positions and intensities of the major peaks in the X-ray powder diffractogram, but may also be characterized by conventional FT-IR spectroscopy. These characteristics are not exhibited by any other form of magnesium salt of S-omeprazole and accordingly, the magnesium salt of S-omeprazole trihydrate is easily distinguishable from any other crystal form of the magnesium salt of S-omeprazole disclosed in prior art. The compound of the invention is characterized by being

highly crystalline, *i.e.* having a higher crystallinity than any other form of magnesium salt of S-omeprazole disclosed in the prior art. With the expression "any other form" is meant anhydrates, hydrates, solvates, and polymorphs or amorphous forms thereof disclosed in the prior art. Examples of any other forms of magnesium salt of S-omeprazole includes, but are not limited to, anhydrates, monohydrates, dihydrates, sesquihydrates, trihydrates, alcoholates, such as methanolates and ethanolates, and polymorphs or amorphous forms thereof.

The compound of the invention may also be characterized by its unit cell.

10

15

20

30

In a further aspect, the present invention provides processes for the preparation of the magnesium salt of S-omeprazole trihydrate which comprises;

a) treating a magnesium salt of S-omeprazole of any form, for example prepared according to procedures known in the art such as Example A in WO 96/01623 which is incorporated herein by reference, with water at a suitable temperature for a suitable time. By a suitable temperature is meant a temperature which induces the transformation of starting material to product without decomposing any of these compounds. Examples of such suitable temperatures include, but are not limited to, room temperature and above. By a suitable time is meant a time that results in high conversion of the starting material into product without causing any decomposition of either compounds, i.e. results in a good yield. This suitable time will vary depending on the temperature used in a way well known to people in the art. The higher the temperature, the shorter time is needed to give the desired conversion. The amount of water is not crucial and will depend on the process conditions used. The magnesium salt of S-omeprazole trihydrate is thereafter separated from the aqueous slurry, for example by filtration or centrifugation and thereafter dried to constant weight; or

b) oxidizing 5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]thio]-1H-benzimidazole, with an oxidizing agent and a chiral titanium complex, optionally in the

10

15

20

presence of a base. The oxidation is carried out in an organic solvent, for example toluene or dichloromethane.

The crude product is converted to the corresponding potassium salt by treatment with a potassium source, such as methanolic potassium hydroxide or methanolic potassium methylate, followed by isolation of the formed salt.

The resulting potassium salt of S-omeprazole is thereafter converted to the corresponding magnesium salt by treatment with a magnesium source, such as magnesium sulfate in a lower alcohol, such as methanol. The solution is optionally filtered and the precipitation is initialized by addition of a non-solvent such as acetone. The product is filtered off and optionally washed with water and further processed as is described in a) above. Alternatively, the potassium salt may be treated with a magnesium source, such as magnesium sulfate in water, and isolation of the magnesium salt of S-omeprazole trihydrate, or any other conventional technique for transforming a potassium salt to the corresponding magnesium salt can be used and is within the scope of the present invention.

Yet a further aspect of the present invention is to provide a suitable intermediate used in the preparation of the compound of the invention, as well as a process for its preparation. The potassium salt of S-omeprazole is found to be such a suitable intermediate. The potassium salt of S-omeprazole may also be used as an active component of a pharmaceutical formulation to be used in the treatment of gastrointestinal diseases.

The compound of the invention, *i.e.* the magnesium salt of S-omeprazole trihydrate, prepared according to the present invention may be analyzed by XRPD, a technique which is known per se.

The amount of water in the magnesium salt of S-omeprazole trihydrate is determined by thermogravimetric analysis, a technique which is known per se.

The compound of the invention is effective as a gastric acid secretion inhibitor, and is useful as an antiulcer agent. In a more general sense, it can be used for prevention and treatment of gastric-acid related conditions in mammals and especially in man, including e.g. reflux esophagitis, gastritis, duodenitis, gastric ulcer and duodenal ulcer. Furthermore, it may be used for treatment of other gastrointestinal disorders where gastric acid inhibitory effect is desirable e.g. in patients on NSAID therapy, in patients with Non Ulcer Dyspepsia, in patients with symptomatic gastro-esophageal reflux disease, and in patients with gastrinomas. The compound of the invention may also be used in patients in intensive care situations, in patients with acute upper gastrointestinal bleeding, pre- and postoperatively to prevent aspiration of gastric acid and to prevent and treat stress ulceration. Further, the compound of the invention may be useful in the treatment of psoriasis as well as in the treatment of Helicobacter infections and diseases related to these. The compound of the invention may also be used for treatment of inflammatory conditions in mammals, including man.

15

10

Any suitable route of administration may be employed for providing the patient with an effective dosage of the magnesium salt of S-omeprazole trihydrate, according to the invention. For example, peroral or parental formulations and the like may be employed. Dosage forms include capsules, tablets, dispersions, suspensions and the like.

20

25

30

It is further provided a pharmaceutical composition comprising the magnesium salt of S-omeprazole trihydrate according to the invention, as active ingredient, in association with a pharmaceutically acceptable carrier, diluent or excipient and optionally other therapeutic ingredients. Compositions comprising other therapeutic ingredients are especially of interest in the treatment of Helicobacter infections. The invention also provides the use of the magnesium salt of S-omeprazole trihydrate of the invention in the manufacture of a medicament for use in the treatment of a gastric-acid related condition and a method of treating a gastric-acid related condition which method comprises administering to a subject suffering from said condition a therapeutically effective amount of the magnesium salt of S-omeprazole trihydrate according to the invention.

10

25

The compositions of the invention include compositions suitable for peroral or parental administration. The most preferred route is the oral route. The compositions may be conveniently presented in unit dosage forms, and prepared by any methods known in the art of pharmacy.

In the practice of the invention, the most suitable route of administration as well as the magnitude of a therapeutic dose of the magnesium salt of S-omeprazole trihydrate according to the invention in any given case will depend on the nature and severity of the disease to be treated. The dose, and dose frequency, may also vary according to the age, body weight, and response of the individual patient. Special requirements may be needed for patients having Zollinger-Ellison syndrome, such as a need for higher doses than the average patient. Children and patients with liver diseases generally will benefit from doses that are somewhat lower than the average. Thus, in some conditions it may be necessary to use doses outside the ranges stated below, for example long term treatments may request lower dosage. Such higher and lower doses are within the scope of the present invention. Such daily doses may vary between 5 mg to 300 mg.

In general, a suitable oral dosage form of the compound of the invention may cover a dose range from 5 mg to 300 mg total daily dose, administered in one single dose or equally divided doses. A preferred dosage range is from 10 mg to 80 mg.

The compound of the invention may be combined as the active component in intimate admixture with a pharmaceutical carrier according to conventional techniques, such as the oral formulations described in WO 96/01623 and EP 247 983, the disclosures of which are hereby incorporated as a whole by reference.

Combination preparations comprising the magnesium salt of S-omeprazole trihydrate and other active ingredients may also be used. Examples of such active ingredients include, but

are not limited to anti-bacterial compounds, non-steroidal anti-inflammatory agents, antacid agents, alginates and prokinetic agents.

The examples which follow will further illustrate the preparation of the compound of the invention, according to different process routes and including new intermediates. These examples are not intended to limit the scope of the invention as defined hereinabove or as claimed below.

Examples

10

Example 1

S-5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)-methyl]sulfinyl]-IH-benzimidazole magnesium salt trihydrate

15

Water (157 kg) was added to the wet crystals of the magnesium salt of S-omeprazole, prepared according to Example 4, below. The mixture was heated to 38°C with stirring and left for 3 hours. The crystals were filtered off and dried in vacuo. Yield: 31.6 kg

20 X-ray powder diffraction analysis was performed on a sample of the crystals prepared above according to standard methods, which can be found in e.g. Kitaigorodsky, A. I. (1973), Molecular Crystals and Molecules, Academic Press, New York; Bunn, C. W. (1948), Chemical Crystallography, Clarendon Press, London; or Klug, H.P. & Alexander, L. E. (1974), X-Ray Diffraction Procedures, John Wiley and Sons, New York. The analysis gave the diffractogram depicted in Figure 1. The main peaks, with positions and relative intensities, have been extracted from the diffractogram in Figure 1 and is given below in table 1. The relative intensities are less reliable and instead of numerical values the following definitions are used.

	% Relative Intensity	Definition
	25-100	vs (very strong)
	10-25	s (strong)
	3-10	m (medium)
5	1-3	w (weak)
	<1	vw (very weak)

Some additional very weak peaks found in the diffractogram have been omitted from table 1.

10

Table 1. Positions and intensities of the major peaks in the XRP-diffractogram of the magnesium salt of S-omeprazole trihydrate.

d-value / Å	Relative Intensity
2.67	. m
2.79	m m
3.27	m
3.52	s
3.82	S
3.96	vs
4.14	m
5.2	- m
5.6	m
6.7	vs
6.9	s
8.3	w
16.6	vs

Example 2

S-5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-1H-benzimidazole potassium salt

A solution of 5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]thio]-1H-benzimidazole (15.4 g, 46.8 mmol) in toluene (70 ml) was heated to 50°C and water (0.05 ml, 2,8 mmol) and D-(-)-diethyl tartrate (2.02 g, 9.82 mmol) were added. The reaction mixture was stirred for 20 minutes. Titanium(IV)isopropoxide (1.34 g, 4.68 mmol) was added and the reaction mixture was stirred for 45 minutes. The mixture was cooled to 30°C and diisopropylethylamine (0.91 g, 7.01 mmol) was added followed by cumene hydroperoxide (9.52 g, 51.89 mmol). The resultant mixture was stirred at 30°C for 3 hours. Methanol (40 ml) was added followed by potassium hydroxide (3.05 g, 46.8 mmol) in methanol (30 ml). Seed crystals were added and the reaction mixture was stirred at 35°C overnight. The precipitated product was filtered off, washed with methanol and toluene and dried in vacuo. Yield: 9.74 g (54%).

Example 3

10

15

25

30

S-5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)-methyl]sulfinyl]-1H-benzimidazole potassium salt

Water (157.6 µl) was added to a solution of 5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]thio]-1H-benzimidazole in toluene (370 ml; 211.5 g/l) with a water content of 0.031% (w/w), followed by addition of D-(-)-diethyl tartrate (8.55 ml). The solution was heated to 50°C and stirred at this temperature for 20 minutes. Titanium(IV)isopropoxide (7.15 ml) was added and reaction was left at 50°C for 45 minutes. The temperature was lowered to 30°C and diisopropylethylamine (6.2 ml) was added. Cumene hydroperoxide was added at an appropriate speed to maintain the temperature from 28°C to 34°C. The temperature was raised to 35°C after 2 hours and

potassium methoxide (24.55 g) in methanol (222 ml) was added. The mixture was filtered after 14 hours and the crystals were washed with methanol:toluene (240 ml; 1:1) and methanol (120 ml) and dried. Yield: 79 g (74%), ee > 99.9%.

 $[\alpha]_D^{20}$ = +28.7° (c = 1%, water); Assay: 89% is S-5-methoxy-2-[[(4-methoxy-3,5-

- dimethyl-2-pyridinyl)-methyl]sulfinyl]-1H-benzimidazole potassium salt (11% is methanol).
 - 1H-NMR (200 MHz, DMSO-d6, δ ppm): 2.23 (s, 3H), 2.24 (s, 3H), 3.71 (s, 3H), 3.75 (s, 3H), 4.40 (d, 1H), 4.78 (d, 1H), 6.58 (dd, 1H), 7.00 (d, 1H), 7.35 (d, 1H), 8.25 (s, 1H).
- The products from Examples 2 and 3 were analysed using X-ray powder diffraction as described in Example 1 and gave the diffractogram depicted in Figure 2 and given below in Table 2. Some additional very weak peaks found in the diffractogram have been omitted from Table 2.
- Table 2. Positions and intensities of the major peaks in the XRP-diffractogram of the potassium salt of S-omeprazole.

d-value/Å	Relative	d-value/	Relative
	intensity	(Å)	intensity
13.6	vs	3.52	m
10.6	vw	3.42	w
7.8	m	3.38	w
6.8	m_	3.34	m
6.5	m	3.28	w
6.2	w	3.20	m
6.1	m	3.12	w
5.8	s	3.06	w
5.4	m	3.03	w
5.3	w	2.97	w
5.2	w	2.93	vw
5.0	vw	2.89	w
4.75	m	2.85	m
4.71	w	2.76	w
4.52	w	2.71	vw
4.42	w	2.66	vw
4.32	w	2.58	w
4.27	m	2.57	w
3.98	vw	2.56	w
3.92	w	2.52	vw
3.89	w	2.47	vw
3.87	w	2.45	vw
3.81	w	2.43	vw
3.74	m	2.40	vw
3.60	m	2.38	vw
3.55	m	2.31	vw

 $\alpha 1 = 1.54060 \text{ Å}$

Example 4

S-5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)-methyl]sulfinyl]-IH-benzimidazole magnesium salt

Methanol (148 kg) was added to S-5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)-methyl]sulfinyl]-1H-benzimidazole potassium salt (71 kg, methanol content = 13%). MgSO₄ x 7 H₂O (40 kg) was added to the mixture while stirring. After 70 minutes the mixture was filtered and the filtrate was washed with methanol (46 kg). The solution was concentrated to a volume of 100 liter, acetone (253 kg) was added and the resulting mixture was left for 4 hours. The precipitated product was filtered off, washed with acetone and water. The wet crystals were immediately used as is described in Example 1.

Example 5

15

10

5

S-5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)-methyl]sulfinyl]-1H-benzimidazole magnesium salt dihydrate

5.0 g of the moist product from Example 4 with an approximate dry content of 74%, was dried in vacuum at 35 °C over night to yield 3.58 g (2.68 mmol) of S-5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)-methyl]sulfinyl]-1H-benzimidazole magnesium salt dihydrate, named Form B.

The product was analyzed using X-ray powder diffraction as described in Example 1, and the analyze gave the diffractogram depicted in Figure 3 and given below in Table 3. Some additional peaks with low intensities found in the diffractogram have been omitted from Table 3.

Table 3. Positions and intensities of the major peaks in the XRP-diffractogram of the magnesium salt of S-omeprazole dihydrate, Form B.

1	District
d-value / Å	Relative Intensity
4.19	m
4.45	m
4.68	m
4.79	s
4.91	S
4.98	s
5.1	m .
5.4	s
5.5	m
5.6	m
5.8	m
6.3	m
6.7	S
7.9	m
8.1	S
11.0	m
11.8	m
14.9	vs

Convertion of magnesium salt of S-omeprazole dihydrate to trihydrate

This material was subsequently processed to S-5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)-methyl]sulfinyl]-1H-benzimidazole magnesium salt trihydrate according to the procedure described for the moist substance in Example 1.

Example 6

5

10

15

S-5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)-methyl]sulfinyl]-1H-benzimidazole magnesium salt dihydrate

A methanolic solution of S-5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)-methyl]sulfinyl]-1H-benzimidazole magnesium salt was prepared as is described in Example 4. Such a solution of S-5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)-methyl]sulfinyl]-1H-benzimidazole magnesium salt (1.86g) in 5 ml methanol was concentrated by evaporation until 1.58 ml methanol remained. Then, a mixture of 1.6 ml water and 6.32 ml aceton was added. The solution was allowed to crystallize during 26 h at room temperature. The resulting crystals were filtered off and dried at 40 °C under reduced pressure giving 1.17 g of S-5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)-methyl]sulfinyl]-1H-benzimidazole magnesium salt dihydrate, named form A.

The product was analyzed using X-ray powder diffration as described in Example 1 and gave the diffractogram depicted in Figure 4 and given below in Table 4. Some additional peaks with low intensities found in the diffractogram have been omitted from Table 4.

Table 4. Positions and intensities of the major peaks in the XRP-diffractogram of the magnesium salt of S-omeprazole dihydrate, Form A.

d-value / Å	Relative Intensity
	·
3.04	S
3.14	S
3.18	m
4.05	S
4.19	
4.32	m
4.54	S
4.69	vs
5.2	S
5.3	S
5.8	S
6.2	VS
6.6	S
15.5	vs

Example 7

S-5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)-methyl]sulfinyl]-1H-benzimidazole magnesium salt trihydrate

22,0 g (29,1 mmol) of S-5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl) methyl]sulfinyl]-1H-benzimidazole potassium salt was dissolved in 40 mL of water. The solution was seeded with 0,11 g (0,1 mmol) S-5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)-methyl]sulfinyl]-1H-benzimidazole magnesium salt trihydrate. 22 mL (69,6 mmol) of MgSO₄ (aq) was added under a 3 h period. The slurry was filtered off and the precipitate was elutriated in water for approximately 30 minutes and the crystals were filtered off and dried (35 °C, vacuum).

Yield: 9,15 g (11,6 mmol; 80%). The substance had a purity (HPLC):99,8 area%, Mg content: 3,40 % (w/w) and ee: 99,8%.

The product was analyzed using X-ray powder diffraction and the result complies with Figure 1 and Table 1.

Reference Example A

15

20

S-5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)-methyl]sulfinyl]-1Hbenzimidazole magnesium salt

(The method used is in accordance with the method described in Example A in WO 96/01623)

Magnesium (0.11g, 4.5 mmol) was dissolved and reacted with methanol (50 ml) at 40°C with a catalytic amount of methylene chloride. The reaction was run under nitrogen and was finished after five hours. At room temperature a mixture of the two enantiomers [90%(-)-isomer and 10%(+)-isomer] of 5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2pyridinyl)methyl]sulfinyl]-1H-benzimidazole (2.84 g, 8.2 mmol) was added to the magnesium methoxide solution. The mixture was stirred for 12 hours whereupon a small amount of water (0.1 ml) was added in order to precipitate inorganic magnesium salts. After 30 minutes stirring, these inorganic salts were filtered off and the solution was concentrated on a rotavapor. The residue was now a concentrated methanolic solution of the enantiomeric mixture (i.e. the title compound contaminated with the (+)-isomer), with an optical purity (enantiomeric excess, e.e.) of 80%. This mixture was diluted with acetone (100 ml) and after stirring at room temperature for 15 minutes, a white precipitate was obtained. Additional stirring for 15 minutes and thereafter filtration afforded 1.3 g (50%) of the title compound as white crystals. Chiral analyses of the crystals and mother liquor were performed by chromatography on an analytical chiral column. The optical purity of the crystals and mother liquor was found to be 98.4 e.e. and 64.4% e.e., respectively. Thus, the

5

optical purity (e.e.) has been enhanced from 80% to 98.4% simply by crystallizing the Mg-salt from a mixture of acetone and methanol. The product was crystalline as shown by powder X-ray diffraction and the magnesium content was 3.44% as shown by atomic absorption spectroscopy. $[\alpha]_D^{20}$ =-131.5° (c=0.5%, methanol).

The product was analyzed using X-ray powder diffraction as described in Example 1 and gave the diffractogram depicted in Figure 5 and given below in Table 5. Some additional very weak peaks found in the diffractograms have been omitted from Table 5.

Table 5. Positions and intensities of the major peaks in the XRP-diffractogram shown in Figure 5.

d-value / Å	Relative Intensity
2.90	s
3.41	· s
3.90	s
4.13	s
4.79	vs ·
5.00	vs
5.4	vs
5.7	s
6.3	s
6.8	. S
7.8	s
8.4	vs
10.8	s
12.2	s
15.1	vs

Claims.

10

- 1. The magnesium salt of S-omeprazole trihydrate.
- 2. The magnesium salt of S-omeprazole trihydrate according to claim 1, characterized by being highly crystalline.
 - 3. The magnesium salt of S-omeprazole trihydrate according to claim 1, characterized by the following major peaks in its X-ray powder diffractogram.

d-value / Å Relative Intensity 2.67 m 2.79 m 3.27 m 3.52 S 3.82 S 3.96 vs 4.14 m 5.2 m 5.6 m 6.7 VS 6.9 S 8.3 w 16.6 vs

4. A process for the preparation of the magnesium salt of S-omeprazole trihydrate according to any of claims 1-3 which comprises treating a magnesium salt of S-omeprazole of any other form with water.

10

15

30


- 5. A process for the preparation of the magnesium salt of S-omeprazole trihydrate according to any of claims 1-3 which comprises the following steps;
 - a) mixing a potassium salt of S-omeprazole with an organic solvent;
 - b) converting the potassium salt of S-omeprazole into a corresponding magnesium salt
 - of S-omeprazole by treating the said potassium salt with a magnesium source;
 - c) precipitating the magnesium salt of S-omeprazole by addition of a non-solvent;
 - d) isolating the obtained magnesium salt of S-omeprazole:
 - e) treating the obtained magnesium salt of S-omeprazole with water; and
 - f) isolating and drying the magnesium salt of S-omeprazole trihydrate thus obtained.
- 6. A process according to claim 5 wherein said organic solvent used in step a) is methanol.
- 7. A process according to any of claims 5-6, wherein the said non-solvent used in step c) is acetone.
- 8. A process according to claim 5 wherein steps a) to e) are replaced by the single step;
 i) converting the potassium salt of S-omeprazole into a corresponding magnesium salt of S-omeprazole by treating said potassium salt with a magnesium source in water.
- 9. A process according to any of claims 5-8, wherein the said magnesium source used in step b) of claims 5-7 or step i) of claim 8 is magnesium sulfate.
- 10. A process for the preparation of a potassium salt of S-omeprazole to be used in any of claims 5-9, which process comprises the following steps;
 - a) oxidizing 5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)-methyl]thio]-1H-benzimidazole into S-omeprazole in an organic solvent;
 - b) converting the S-omeprazole into the corresponding potassium salt of S-omeprazole by treating said S-omeprazole with a potassium source;
 - c) isolating the potassium salt of S-omeprazole thus obtained.


- 11. A process according to claim 10, wherein said organic solvent used in step a) is toluene.
- 12. A process according to any of claims 10-11, wherein said potassium source used in step b) is methanolic potassium methoxide or methanolic potassium hydroxide.
 - 13. Potassium salt of S-omeprazole prepared according to claim 10 characterized by the following peaks in its X-ray powder diffractogram.


			· · · · · · · · · · · · · · · · · · ·
d-value/Å	Relative	d-value/	Relative
	intensity	(Å)	intensity
13.6	vs	3.52	m
10.6	vw	3.42	w
7.8	m	3.38	w
6.8	m	3.34	m
6.5	m	3.28	w
6.2	w	3.20	m
6.1	m	3.12	w
5.8	S	3.06	w
5.4	m	3.03	w
5.3	w	2.97	w
5.2	w	2.93	vw
5.0	vw	2.89	w
4.75	m	2.85	m
4.71	w	2.76	w
4.52	w	2.71	vw
4.42	w	2.66	vw
4.32	w	2.58	w
4.27	m	2.57	w
3.98	vw	2.56	w
3.92	w	2.52	vw
3.89	w	2.47	vw
3.87	w	2.45	vw
3.81	w	2.43	vw
3.74	m	2.40	vw
3.60	m	2.38	vw
3.55	m	2.31	vw


 $\alpha 1 = 1.54060 \text{ Å}$

- 14. A pharmaceutical composition comprising the magnesium salt of S-omeprazole trihydrate according to any of claims 1-3 as active ingredient in association with a pharmaceutically acceptable carrier and optionally other therapeutic ingredients.
- 15. Use of the magnesium salt of S-omeprazole trihydrate defined in any of claims 1-3 in the manufacture of a medicament for use in the treatment of a gastric acid related condition.
- 16. A method of treating a gastric acid related condition which method comprises
 administering to a subject suffering form said condition a therapeutically effective amount
 of the magnesium salt of S-omeprazole trihydrate defined in any of claims 1-3.










1



INTERNATIONAL SEARCH REPORT

International application No.

PCT/SE 98/00974

A. CLAS	SIFICATION OF SUBJECT MATTER		
IPC6: According	C07D 401/12, A61K 31/44 to International Patent Classification (IPC) or to both	national classification and IPC	
B. FIELI	DS SEARCHED		
Minimum o	documentation searched (classification system followed	by classification symbols)	·
IPC6:			
Documenta	ation searched other than minimum documentation to t	the extent that such documents are included i	n the fields searched
SE,DK,	FI,NO classes as above		
Electronic o	data base consulted during the international search (nar	me of data base and, where practicable, searc	h terms used)
CAS-ON	LINE		
C. DOCU	JMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where a	ppropriate, of the relevant passages	Relevant to claim No.
A	WO 9601623 A1 (ASTRA AKTIEBOLAG (25.01.96)	G), 25 January 1996	1-15
A	WO 9427988 A1 (ASTRA AKTIEBOLAG (08.12.94)	G), 8 December 1994	1-15
		·	
Furthe	er documents are listed in the continuation of Bo	x C. X See patent family annex	
	categories of cited documents:	"T" later document published after the inte	mational filing date or priority
to be of	nt defining the general state of the art which is not considered particular relevance	date and not in conflict with the applic the principle or theory underlying the i	nvention
"L" documer cited to	cument but published on or after the international filing date it which may throw doubts on priority claim(s) or which is establish the publication date of another citation or other	"X" document of particular relevance: the considered novel or cannot be considered the document is taken alone	ed to involve an inventive
special r 'O" documen	eason (as specified) It referring to an oral disclosure, use, exhibition or other	"Y" document of particular relevance: the considered to involve an inventive step	when the document is
P" documen	it published prior to the international filing date but later than ity date claimed	combined with one or more other such being obvious to a person skilled in the	documents, such combination art
 	actual completion of the international search	Date of mailing of the international se	
	completion of the international search	I	1
25 Augu:		0 7 -08- 15	98
	mailing address of the ISA/ atent Office	Authorized officer	
	S-102 42 STOCKHOLM	Göran Karlsson	
	o. +46 8 666 02 86	Telephone No. + 46 8 782 25 00	

Form PCT/ISA/210-(second sheet) (July 1992)

1

INTERNATIONAL SEARCH REPORT

International application No.

PCT/SE 98/00974

Г	D		
-	Box I	Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)	
	This int	ernational search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons	:
	1. X	Claims Nos.: 16 because they relate to subject matter not required to be searched by this Authority, namely:	
		A method for treatment of the human or animal body by therapy,	•
		see rule 39.1.	
	2. 🗀	Claims Nos.:	
	لـــا	because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:	
-	٠. [_]	Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).	
I	Box II	Observations where unity of invention is lacking (Continuation of item 2 of first sheet)	\dashv
7	bis Int	ernational Searching Authority found multiple inventions in this international application, as follows:	\forall
		\cdot	
1.		As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.	
2.		As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.	
3.		As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:	
			l
4.		No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:	
₹e	mark o	on Protest The additional search fees were accompanied by the applicant's protest.	
		No protest accompanied the payment of additional search fees.	
-			

Form PCT/ISA/210 (continuation of first sheet (1)) (July 1992)

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No. 27/07/98 | PCT/SE 98/00974

	atent document d in search repo	rt	Publication date		Patent family member(s)	Publication date
WO	9601623	A1	25/01/96	AU	2993795	A 09/02/96
				BR	9506018	A 02/09/97
				CA	2170647	
				CN	1134666	A 30/10/96
				CZ	9600732	
				DE		T 11/09/97
				EP	0723436	
				ES	2100142	T 16/06/97
				FI	961057	
				GR	97300014	T 31/05/97
				HR	950349	
				HU	75775	A 28/05/97
				HU	9600573 (00/00/00
				IL	114450 [00/00/00
				JP	9502739	
			•	NO	960950	
				NZ	289948 /	4 27/07/97
				PL	313387 /	
			•	SE	9402433 [
			•	SK	30196 /	10/09/97
				ZA	9505548	08/01/96
				SE	9402432 [
Ok	9427988	A1	08/12/94	AU	676337 E	3 06/03/97
				AU	6902494 A	
				CN	1110477 A	
				CZ	9500202 A	
				DE	652872 T	
				EP	0652872 A	
				ES	2099047 T	
				FI	950377 A	
				GR	97300012 T	
				HR	940307 A	31/12/96
•				HU	71888 A	28/02/96
				HU	9500247 D	. 00/00/00
				IL	109684 D	
				JP	7509499 T	19/10/95
				LT	1941 A	
				LT	3287 B	26/06/95
			•	LV	11034 A	,B 20/02/96
				ИО	950263 A	24/01/95
				NZ	266915 A	28/10/96
				PL	307261 A	15/05/95
				SI	9420002 A	31/08/95
				SK	10195 A	13/09/95
				US	5693818 A	02/12/97
				US	5714504 A	03/02/98
				ZA	9403557 A	11/04/95